



Frigos Value Series One Door Reach-In Freezer SKU: FGV-FZ-1D

- Spacious: 21.50 cu ft capacity \star
- Durable: Stainless steel exterior, painted aluminum interior ★
- Efficient: Low energy usage (3.94 KW/24h)
- **** Convenient: Self-closing door, efficient LED lighting
- Certified: ETL Electrical, ETL Sanitation, DOE
- Mobility: Locking casters
- Powerful: 1/4 HP compressor
- \star Sleek: Silver finish, swing-style solid door



Refrigerant	R290		
Horsepower (HP)	1/4		
Voltage (V)	115V/60Hz		
KW per 24h	3.94 kW.h/24h		
Wattage	479		
Weight (lbs)	117		
Shipping Weight (Ibs)	130		
Door Self closed	Yes		
Interior Material	Painted Aluminum		
Exterior Material	Stainless Steel		
Color	Silver		
Door Style	Swing		
Door Type	Solid		
Number of Doors	1		
Compressor Location	Bottom Mounted		
Shelf Capacity (Ibs)	85		
Plug Type	NEMA 5-15P		

Introducing our one-door reach-in freezer, FGV-FZ-1D, meticulously engineered to provide exceptional performance and unwavering reliability, perfectly suited to the rigorous demands of your commercial kitchen. This freezer showcases a capacious interior, with dimensions spanning 23 inches in width, 24 3/8 inches in depth, and 60 1/2 inches in height, offering an ample storage capacity of 21.50 cubic feet, thoughtfully designed to accommodate all your frozen essentials.

Constructed with a robust stainless steel exterior and a pristine painted aluminum interior, this unit seamlessly merges durability with a polished and hygienic aesthetic. The substantial 2-inch insulation, featuring Cyclopentane, ensures superior temperature retention, preserving your frozen products in impeccable condition.

ltem	Width (Inch)	Depth (Inch)	Height (Inch)
Exterior	27	32	83.5
Interior	23	24 3/8	60 1/2

Capacity (Cu Ft)	Number of Shelves	Casters	Hotel Pan Size (inch)
21.5	3	Included	12 x 20

- Crafted with a sturdy stainless steel exterior, painted aluminum interior, and a reliable 304 stainless steel floor
- Spacious: Equipped with three epoxy-coated shelves, each capable of supporting up to 85 pounds
- Insulated: Features a substantial 2-inch insulation for optimum temperature retention
- Powerful: Driven by a robust 1/4 HP compressor



Kitchen Pro Restaurant Equipment: <u>info@gokpe.com</u> | <u>www.kitchenproequipment.com</u> | T. 1-800-603-0033 Note: Specifications subject to change without notice. Equipped with three sturdy epoxy-coated shelves, each with the capacity to support up to 85 pounds, you'll discover generous storage space for your ingredients and products. The integrated LED lighting guarantees exceptional visibility, simplifying the task of locating items within.

Efficiency is at the heart of this freezer's design, utilizing R290 refrigerant and powered by a capable 1/4 horsepower compressor operating at 115V/60Hz. This translates to remarkably low energy consumption, a mere 3.94 KW per 24 hours, leading to significant long-term cost savings.


Hinge Location	Amps (A)	Hertz (Hz)	Temperature Range	Caster Size (inch)
Right	3.5	60	-8°F to -1°F	4.88

The Frigos brand is synonymous with uncompromising quality, and this freezer upholds that reputation. Whether you operate within the foodservice industry or a commercial kitchen, you can entrust this unit to maintain your products at their desired frozen temperatures, safeguarding their freshness and quality.



Invest in the future of your business with our FGV-FZ-1D one-door reach-in freezer. It represents a potent, energy-efficient, and dependable addition to any kitchen, meticulously designed to meet your needs for many years to come.

Technical Data:



One Door Reach-In Freezer SKU: FGV-FZ-1D

With ETL Electrical, ETL Sanitation, and DOE certifications, this freezer meets all necessary health and safety standards. Its sleek silver finish and swing-style solid doors not only offer a professional appearance but also provide easy access to your stored items.



Warning: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.